Google Scholar BETA

Web Images Video News Maps more »

javascript "window close "   - 2000   Search

Scholar **All articles** - **Recent articles** Results **1** - **10** of about **17** for **javascript "window close "**. **(0.08 seconds)**

All Results

D Smith
A Maywah
C Bates
P Day
丁振凡

METHOD AND APPARATUS FOR DISPLAYING HELP WINDOW SIMULTANEOUSLY
WITH WEB PAGE PERTAINING THERETO - all 2 versions »
M BRANDT, J DICECCO, J HANSEN, T MOSKALIK, TO' ... - 1998 - freepatentsonline.com
... 0>
 <FONT SIZE=2>Next</FONT></A- ></TD><TD>
<TD>
<TD>
<TD><TD>
<TD>
<TD ALIGN=CENTER><A HREF='**JavaScript**:parent.**window.close**( )` onMouseOver=`parent ...
Cached - Web Search - Import into EndNote

Internet browser based data entry architecture - all 4 versions »
DKW Smith - US Patent 5,963,952, 1999 - Google Patents
... <SCRIPT LANGUAGE="Java Script"> //**JavaScript** Mortgage Application Form ... **window.close**
("".."enterWindow") capture=window.open(); capture.document.open(); capture ...
Cited by 14 - Related Articles - Web Search - Import into EndNote

Cobol tools: overview and taxonomy - all 5 versions »
EC Arranga - Software, IEEE, 2000 - ieeexplore.ieee.org
... Proc-close-**window**. * **Close** current window * Call "sp2" using sp2-close-window
sp2-null-parm . ... Script Assis- tant supports both Netscape's **JavaScript** ...
Cited by 4 - Related Articles - Web Search - Import into EndNote - BL Direct

[PS] An Implementation of a Secure Web Client Using SPKI/SDSI Certificates - all 3 versions
»
AJ Maywah - 2000 - theory.lcs.mit.edu
Page 1. An Implementation of a Secure Web Client Using SPKI/SDSI Certicates by
Andrew J. Maywah SB Massachusetts Institute of Technology (1999) ...
Cited by 11 - Related Articles - View as HTML - Web Search - Import into EndNote - Library Search

Web 页上的幕后功臣 (上): Java 娆 **JavaScript**
张鸣 - 家用电脑世界, 2000 - 维普资讯
... http：／／breaker 1 26 corn的华人网站主页。**window close**()的作用与 window open
c ... 例如在网页代码中写^ <~ript LI **JavaScript**"> window alert ...
Web Search - Import into EndNote

学点儿 **JavaScript**
孙国铭 - 电脑界: 电脑高手, 2000 - 维普资讯
... **window. close**()这个指令不用说你也知道了，这个**window. close**()就是关闭窗CI ...
之间加人：砧c唧t laaguage：" **JavaScript** > function elosewia ...
Web Search - Import into EndNote

用 ASP 实现基于 Web 的聊天室
丁振凡 - 微型机与应用, 2000 - 维普资讯
... 并通过<body onLoad= **JavaScript** : **window. close**() >实现窗口关闭，
如果没有此事件代码，客户方将显示出1个空白的浏览器画面 ...
Web Search

用 ASP 技术实现聊天室应用 - all 2 versions »
丁振凡 - 微型电脑应用, 2000 - 万方数据资源系统
... m) appication("users")=application("users")-I exit for end if next application.unlock %>
<html> <body onLoad="**JavaScript:window.close**()"> <body></html ...
Related Articles - Web Search

弹出窗口的制作
李瑞祥 - 电脑时空, 2000 - 维普资讯
... name = ii BI 后加一空格，再加上 onclick=**window. close**() 一条语句也可实现
关闭按钮的功能 ... script language='**javascript** > <I~~function ...
Web Search

JavaScript 常用对象的方法和属性 (一)
薛瑜，麦中凡 - 微电脑世界, 1997 - 维普资讯
... 预定义窗口(对话框) **JavaScript**提供三个方法来产生"简单 ... e()
可以使用以下任何一个函散 关闭当前窗口：**window. close**()、serf ...
Web Search

Google ▶

Result Page: 1 2   **Next**

| javascript "window close " | Search |

Google Home - About Google - About Google Scholar

Google ▶